

# XT

# POWERED ELECTRONIC LOCKS

MADE  
IN  
ITALY

POWERED  
ELECTRIC LOCKS

## MOTTURA X TECHNOLOGY



safeguarding your security

# XNOVA - LAYOUT

## HOME

## BATTERY OR MAINS OPERATED



### INTERNAL SIDE

### EXTERNAL SIDE

MOTTURA DEVICE



PUSHBUTTON



QUICK RELEASE  
OPERATED BY HANDLE



XBLUE  
APP ANDROID/IOS



GENERIC DEVICE  
DRY CONTACT ONLY  
(INTERCOM, ETC...)



KEYBOARD + TRANSPONDER  
READER (XDIGIT)



RELAY MODULE  
REQUIRED WITH  
MOTTURA DEVICE



FINGERPRINT + TRANSPONDER  
READER (XTRACK)



TAG  
(REQUIRED FOR  
PROGRAMMING)



GENERIC DEVICE  
DRY CONTACT ONLY  
(KEYPADS, ETC...)



MAINS OPERATED  
MAINS ADAPTER



BATTERY OPERATED  
WIRED BATTERY HOLDER

## B&B AND RENTALS - WIRELESS

## BATTERY OR MAINS OPERATED



### INTERNAL SIDE

### EXTERNAL SIDE

MOTTURA DEVICE



MOSTRINA INTERNA DEDICATA  
CON Pushbutton DI APERTURA



QUICK RELEASE  
OPERATED BY HANDLE



Bluetooth KEYBOARD +  
TRANSPONDER READER  
(XDIGIT BLE)



ULIXE  
APP ANDROID/IOS



TAG



MAINS OPERATED  
MAINS ADAPTER



BATTERY OPERATED  
WIRED BATTERY HOLDER



HOME AUTOMATION AND ACCESS  
CONTROL XNOVA IS DESIGNED TO BE  
CONNECTED TO EXISTING DEVICES  
OR IN ORIGINAL EQUIPMENT

# XMODE - LAYOUT


## HOME

## BATTERY OR MAINS OPERATED

### INTERNAL SIDE



KEYBOARD




DISPLAY




XBLUE

PUSHBUTTON  
SEMIAUTOMATIC VERSION

### EXTERNAL SIDE

KEYBOARD + TRANSPONDER  
READER (XDIGIT)FINGERPRINT + TRANSPONDER  
READER (XTRACK)

TRANSPONDER READER

TAG  
(REQUIRED FOR  
PROGRAMMING)MAINS ADAPTER  
ART. 99683BATTERY OPERATED  
WIRED BATTERY HOLDER

# XMODE1 - LAYOUT


## HOME

## BATTERY OR MAINS OPERATED

### INTERNAL SIDE



KEYBOARD




DISPLAY

QUICK RELEASE  
OPERATED BY HANDLE


XBLUE



### EXTERNAL SIDE

KEYBOARD + TRANSPONDER  
READER (XDIGIT)FINGERPRINT + TRANSPONDER  
READER (XTRACK)

TRANSPONDER READER

TAG  
(REQUIRED FOR  
PROGRAMMING)MAINS ADAPTER  
ART. 99683BATTERY OPERATED  
WIRED BATTERY HOLDERHOME AUTOMATION AND ACCESS  
CONTROL POSSIBLE ONLY  
THROUGH THE  
REMOTE CONTROL 99684










# 49.A20

MADE IN ITALY



## Characteristics

**Lock for double cylinder**

**Variation in centre distance: ..../28 - ..../37**

**BATTERY** operated lock with mainframe inside the lock.

- Three-points
- Cylinder and handle backset 63 mm
- Round bolts Ø mm 18 with 29 mm travel
- Bar travel 20 mm

The Kit includes :

- 1- Mortise-type/rim lock
- 2- Battery drawer holder
- 3- Magnet with increased intensity
- 4- Internal escutcheon wiring
- 5- Internal escutcheon with opening push button

The item can be reversed.

### On request

locks may be supplied with:  
• mechanical or electronic burglar-proof device

(cylinder extraction) **T**

Pair with Defender® TOP SYSTEM, BASIC, DF.

### Product tested according to

- EN 61000-6-1 : 2007
- EN 61000-6-3 : 2007/A1 : 2011
- EN 14846

It is RECOMMENDED to use CHAMPIONS® security cylinders



RIM LOCK

MORTISE-TYPE

## 49.A00W8/7.. 49.A20W8/7..

(B0A) COMPLETE BRONZE ESCUTCHEON KIT

(C0A) COMPLETE CHROME ESCUTCHEON KIT

(T0A) COMPLETE BRASS ESCUTCHEON KIT

(V0A) COMPLETE PVD GOLD ESCUTCHEON KIT

(A0A) COMPLETE ANODISED SILVER ESCUTCHEON KIT

(S0A) COMPLETE SATIN CHROME ESCUTCHEON KIT

### Three-points for double cylinder




Upper lock with Ø 20 mm latchbolt activated by cylinder and 8 handle square.

**Reversible latchbolt.**

Lower lock with upper lock blocking function. **Disables the use of electronics.**

Cylinders, reinforcements and other accessories are **NOT** included.

**Dependent locks. Activate A first, then proceed with B.**



## SUPPLIED

Security locks with block lever on deadbolts




## ON REQUEST

Lock with forced cylinder extraction protection system

Locks can be supplied with mechanic or electronic burglary-resistant system (extraction of the cylinder) **T** .


The electronic sensor (Mottura patent) avoids false maneuvers in absence of the cylinder.





# 85.37ELE

MADE IN ITALY



## Characteristics

Variation in centre distance: ..../28 - ..../37

- Three-points lock
  - Cylinder and handle backset 63 mm
  - Round bolt Ø 18 mm with 29 mm travel
  - Bar travel 20 mm
  - All articles are supplied either left or right version (specify in the order)
  - Power supply: 12V AC. (transformer 25VA)
- Latchbolt with burglar-proof system**

### On request

locks can be supplied with:

- block lever on bolts
- burglar-proof device (cylinder extraction)

Pair with Defender®  
TOP SYSTEM, LEVEL, BASIC, DF..

It is RECOMMENDED to use  
CHAMPIONS® security cylinders



RIM LOCK			MORTISE-TYPE
	<b>85.37ENE..N    85.97ENE..N</b>		
	..N Basic equipment		
	..B Block lever on bolts		
	..T Burglar-proof device		
	..Q Reinforcement on the bolts + Burglar-proof (B+T)		
<p><b>Three-points with latchbolt for electrically activated cylinder</b>                  Ø 20 latchbolt activated by cylinder, <math>\square</math>8 handle square and electrically  <b>Reversible latchbolt and lever</b>                  Cylinders, reinforcements and other accessories are <b>NOT</b> included</p>			

Note : Locks can be supplied version, version or version ( + ) on request. Bolts resistance to forcing exceeds 600 Nw required by applicable standards.

Note : the burglar-proof device ( + ) **MUST** always be mounted on the outside side of the door; otherwise, it will **NOT** work. It is always necessary to specify the opening hand.

**ON REQUEST**  
Security locks with block lever on deadbolts

**ON REQUEST**  
Lock with forced cylinder extraction protection system

**ON REQUEST**  
( + ) Block lever on deadbolts () + Cylinder extraction protection ()

**Use Defender® MOTTURA**

Defender®  
is a registered trademark of MOTTURA



## MASTER KEY SYSTEM



### Master key system KA (Keyed Alike)


Several cylinders with the same code can be opened with the same key.



### Master key system MK (Master Key)

A single master key opens all the cylinders in the system, while each of the individual keys opens its own cylinder.


Maximum number of keys with different combination = 10



Master keyed systems have one card per group (for further information please contact the company)

Important: Outdoor installations need a specific surface treatment to ensure greater weather protection. Please contact the manufacturer for these installations.

## CONFIGURATIONS



MOTTURA



TECHNOLOGY

**b**E MOTTURA, **b**E TECHNOLOGY





- Electromechanical motorized lock
- Controlled and managed via app B-UliXe + weBtechnology
- Up to 100 supported devices (smartphones, peripherals, codes...)
- Integrated access control (storing 1000 events and time management)
- Managed in proximity or remotely via cloud, with or without bridge
- Internal diagnostic system
- Integrated magnetic sensor for self-closing
- Mains or battery power supply
- Integrated BLE 5.0
- Signal LED





- Motorized smart lock
- Patented system of adjustment of misalignment door-cylinder
- Controlled and managed by app B-UliXe + weBtechnology
- Up to 100 supported devices (smartphones, peripherals, codes...)
- Integrated access control (storing 1000 events and time management)
- Managed in proximity or remotely via cloud, with or without bridge
- Internal diagnostic system
- Integrated magnetic sensor for self-closing
- Suitable for all kinds of euro-cylinder lock. Fixing on door panel or directly to cylinder
- Adjustment for scandi profile
- Mains or battery power supply
- Integrated BLE 5.0
- Easy to install
- Finish: black, satin chrome



# b DIGIT

- Numeric keypad
- Controlled and managed via app B-UliXe + weBtechnology
- Pairing via «master» smartphone
- Access codes managed by smartphone through app B-UliXe
- Finish: black, satin chrome
- Mains or battery power supply
- Compatible with access control system; storing up to 1000 events and time management
- Integrated BLE 5.0
- Flush or recessed installation



# b TRACK

- Biometric reader
- Controlled and managed via app B-UliXe + weBtechnology
- Pairing via «master» smartphone
- Fingerprint management through smartphone with app B-UliXe
- Finish: black, satin chrome
- Mains or battery power supply
- Compatible with access control system; storing up to 1000 events and time management
- Integrated BLE 5.0
- Storing up to 100 fingerprints
- Flush or recessed installation






- Keyfob with or without mechanical key
- Controlled and managed via app B-UliXe + weBtechnology
- Pairing via «master» smartphone
- Battery powered
- Compatible with access control system; storing up to 1000 events and time management
- Integrated BLE 5.0




Versione con chiave meccanica interna di sicurezza



# b BRIDGE



- Bridge allowing to connect the system to the cloud and managing it remotely, accessing to all data of the lock/smart lock (list of accesses, diagnostics, burglar control, opening-closing remotely)
- Connection to intercom for their management and opening
- Powered through USB-C cable
- Integrated BLE 5.0 and Wifi



Presca USB-C per alimentazione



# b OPEN



- Stand-alone bluetooth module, possible to connect to electric strikes and electro-mechanical locks, able to manage them via app U-UliXe and weBTechnology
- Connection through integrated relay
- Controlled and managed via app B-UliXe + weBtechnology
- Up to 100 supported devices (smartphones, peripherals, codes...)
- Integrated access control (storing 1000 events and time management)
- Managed in proximity or remotely via cloud, with or without bridge
- Signal LED
- Mains or battery power supply
- Integrated BLE 5.0



WE **b** TECHNOLOGY Web based remote access control

Porte Utenti

Premi **F11** per uscire dalla modalità a schermo intero

I miei dati

it Esci

**BMoto**

Serratura  
Alimentazione: **A batteria (0%)**  
Ultima lettura della porta: **CHIUSA**

**BNova**

Serratura B-Nova  
Alimentazione: **Rete elettrica**  
Ultima lettura della porta: **CHIUSA**  
Modalità: **Chiusura manuale (fermo giorno)**

UTENTI della serratura

**Laura**  
BA26E621F Utente b&b  
Da 04/5/2022, 11:20  
A 21/5/2022, 11:20

**Andrea**  
B39B49628 Utente b&b  
Da 04/5/2022, 11:18  
A 18/5/2022, 11:18

Storico aperture

Data	Ospite	Azione	Stato porta
04/05/2022 14:21	Andrea	Apertura	Porta chiusa non in sicurezza
04/05/2022 13:53	Laura	Chiusura	Porta chiusa in sicurezza
04/05/2022 13:30	Andrea	Apertura	Porta aperta
04/05/2022 13:29	Andrea	Apertura	Porta chiusa non in sicurezza
04/05/2022 13:28	Laura	Chiusura	Porta chiusa in sicurezza
04/05/2022 11:56	Laura	Apertura	Porta aperta



- WEB BASED REMOTE ACCESS CONTROL
- Remote management on pc (or smartphone and tablet) of users, doors, devices; access to list of openings/closings and other details
- Management of doors (B&B, rentals) and users

WE **b** TECHNOLOGY Web based remote access control

Mottura.it Configuratore

I miei dati

it

Area riservata

ersi@mottura.it

.....

**Entra**

Hai dimenticato la password?

Non hai ancora un utenza Cloud?

**B-Technology**

La nuova gamma Mottura B Technology rappresenta la continua innovazione di Mottura nel settore delle serrature motorizzate. Si è cercato di identificare già nello studio del logo quello che è il core di questa nuova famiglia di prodotti marchiati Mottura, ovvero la trasmissione senza fili. I nuovi controlli accessi elettronici sono completamente senza cablaggi, comunicando tra loro tramite connessione BLE (Bluetooth low Energy).

**L'evoluzione è necessaria**

Cambiare abitudini non è facile, ma evolversi è necessario. La nuova gamma di prodotti Mottura rende più semplice adeguare la nostra sicurezza agli standard del mondo digitale, grazie a sistemi ed interfacce facili da installare, apprendere e utilizzare con la naturalezza dei gesti quotidiani.

**La linea B-Technology**

Le migliori tecnologie per garantire comfort e protezione: Bluetooth, Cloud e App per smartphone e Desktop, tastiere numeriche, lettori di impronta digitale, card transponder e telecomandi Bluetooth. Non c'è limite alle possibilità di personalizzazione dei sistemi di comando e sicurezza.





- REMOTE & PROXIMITY ACCESS CONTROL
- Management in proximity and remotely via bridge of users, doors, devices; access to the list of events and other details
- Management of doors (B&B, rentals) and users